

#### EXTRAORDINARY

### PUBLISHED BY AUTHORITY

## KARACHI, TUESDAY, AUGUST 18, 2009

### PART II

Statutory Notifications containing Rules and Orders issued by all Ministries and Divisions of the Government of Pakistan and their Attached and Subordinate Offices and the Supreme Court of Pakistan

GOVERNMENT OF PAKISTAN

#### MINISTRY OF ENVIRONMENT

NOTIFICATION

Karachi, the 16th May, 2009

#### S.R.O. 72 (KE)/2009:

In exercise of the powers conferred under clause (c) of sub-section (1) of section 6 of the Pakistan Environmental Protection Act, 1997 (XXXIV of 1997), the Pakistan Environmental Protection Agency, in anticipation of approval of the Pakistan Environmental Protection Council, is pleased to direct that the following further amendments shall be made in its Notification No. S.R.O. 742(I)/93, dated the 24th August, 1993, namely:-

In the aforesaid Notification, in paragraph 2.

Annex-III shall be replaced with the following Annex-III (amended):-

(409) Price: Rs. 3.u0

## NATIONAL ENVIRONMENTAL QUALITY STANDARDS FOR MOTOR VEHICLE EXHAUST AND NOISE

## (i) For Inuse Vehicles

			* * * * * * * * * * * * * * * * * * * *	
S. No.	Parameter	Standards (maximum permissible limit)	Measuring method	Applicability
1	2	3	4	5
1.	Smoke	40% or 2 on the Ringlemann Scale during engine acceler- ation mode.	To be compared with Ringlemann Chart at a distance of 6 metres or more.	Immediate effect
2.	Carbon Monoxide.	6%	Under idling condi- tions: Non-disper- sive infrared detec- tion through gas analyzer.	
3.	Noise	85 db (A).	Sound-meter at 7.5 meters from the source.	

### For new Vehicles

## EMISSION STANDARDS FOR DIESEL VEHICLES

# (a) For Passenger Cars and Light Commercial Vehicles (g/Km)

Type of Vehicle	Category/Class	Tiers	CO	HC+ NOx	PM	Measuring Method	Applicability		
1	2	3	4	5	6	7	. 8		
Passenger Cars.	M 1: with reference mass (RW)	Pak-II, IDI	1.0	0.7	0.08	j.	All imported and local manufactures		
	upto 2500 kg. Cars with RW over 2500	Pak-II DI	1.0	0.9	0.10	NEDC (ECE 15+	diesel vehicles with effect from 01-07-		
	kg. to meet NI category stan- dards.					EUDCL)	2012.		

1	2	3	4	5	6		7	8
Light	NI-I(RW<1250		1.0	0.70	0.08	10.0		
Commercial	kg).	IDI		2.50				
Vehicles		Pak-II.	1.0	0.90	0.10	1		
		DI						
	NI-II(1250 kg <	Pak.II	1.25	1.0	0.12			
*	RW <1700 kg)	IDI				-		
		Pak-II, DI	1.25	1.3	0.14			
	NI-III(RW > 1700 kg)	Pak.II, IDI	1.50	1.2	0.17			
		Pak-II, DI	1.50	1.6	0.20		v	

## Parameter Standards (maximum permissible limit) Measuring method

S5 db (A) Sound - meter at 7.5 metres from the source.

## (b) For Heavy Duty Diesel Engines and Large Goods Vehicles (g/Kwh)

Type of Vehicle	Category/ Class	Tiers	CO	HC	NOx	PM	Measur- ing Method	ability
1	2	3	4		. 6	7	8	9
Heavy Duty Diesel Engines	Trucks and Buses	Pak-II	4.0	-1.1	7.0	0.15		All imported and local manufactured
							49	diesel vehicles with the effect 1-7-2012
Large goods Vehicles	N2(2000 and up	Pak-II	4.0	7.0	1.10	0.15	EDC	<del></del>

## Parameter Standards (maximum permissible limit) Measuring method

Noise

85 db (A)

Sound - meter at 7.5 metres from the source.

#### 412

## EMISSION STANDARDS FOR PETROL VEHICLES (g/km)

Type of Vehicle	Category/ Class	Tiers	СО	HC+ NOx	Measuring Method	Applica- bility
1	2 .	3	4	5	6	7
Passenger Cars	M 1: With reference mass (RW) upto 2500 kg. Cars with RW over 2500 kg. to meet N1category standards.	Pak-II	2.20	0.5	NEDC (ECE 15 + EUDCL)	All imported and new moddels* locally manufactured petrol vehicles with effect from
Light	N1-I(RW<1250) kg)	Pak-II	2.20	0.5		1st July, 2009**
Commercial Vehicles	N1-II(1250 kg>RW) <1700 kg)	Pak-II	4.0	0.65		
	N1-III(RW>1700 kg)	Pak-II	5.0	0.08		
Motor Rickshaws	2,4 strokes <150cc	Pak-II	5.5	1.5	ECER 40	
& Motor						
Cycles +1						
	2,4 strokes > 150 cc	Pak-II	5.5	1.3		

#### Parameter Standards (maximum permissible limit) Measuring method

Noise	85 db (A)	Sound - metre at 7.5 metres '
		from the source.

### Explanations:

DI: Direct Injection.

IDI: Indirect Injection.

EUDCL: Extra Urban Driving Cycle.

NEDC: New European Driving Cycle.

ECE: Urban Driving Cycle.

M: Vehicles designed and constructed for the carriage of passengers and

comprising no more than eight seats in addition to the driver's seat. Motor vehicles with at least four wheels designed and constructed

for the carriage of goods.

New model means both model and engine type change.

The existing models of petrol driven vehicles locally manufactured will immediately switch over to Pak-II emission standards but not

later than 30th June, 2012.

[No. F.17(12)/2005-DD-VI]

M. FAHIM RIAZ KHAN, Director (A/L/E).